Index of Authors

AGNEW, ALISON *See* MURARE, H. M.

ALFIERI, SILVIA C., ZILBERFARB, V. and RABINOVITCH, M. Destruction of *Leishmania mexicana amazonensis* amastigotes by leucine methyl ester: protection by other amino acid esters, 31

ALLSOPP, B. A., JONES, A., ALLSOPP, M. T. E. P., NEWTON, S. D. and MACPHERSON, C. N. L. Interspecific characterization of several taeniid cestodes by isoenzyme analysis using isoelectric focusing in agarose, 593

ALLSOPP, M. T. E. P. *See* ALLSOPP, B. A.

ALMOND, N. M., WORMS, M. J., HARNETT, W. and PARKHOUSE, R. M. E. Variation in class-specific humoral immune responses of different mouse strains to microfilariae of *Dipetalonema viteae*, 559

ANDERSON, R. M. *See* GRENFELL, B. T.

ANDERSON, R. M. *See* HASWELL-ELKINS, M. R.

ANDERSON, R. M. *See* SMITH, G.

ARME, C. *See* JEFFS, S. A.

AWAD, A. H. H. *See* PROBERT, A. J.

BAKKER, J. *See* SCHOTS, A.

BALTZ, MARILYN *See* MURARE, H. M.

BARBEAU, IRMA *See* HOLLAND, CELIA V.

BARBEAU, IRMA *See* TAREN, D. L.

BAUMANN, B. A. *See* WILLIAMS, J. C.

BECKERS, P. J. A. *See* CARTER, E. H.

BEDDINGTON, J. *See* SMITH, G.

BEHNKE, J. M., WILLIAMS, DIANE J., HANNAH, J. and PRITCHARD, D. I. Immunological relationships during primary infection with *Heligmosomoides polygyrus* (*Nematospiroides dubius*): the capacity of adult worms to survive following transplantation to recipient mice, 569

BIANCO, A. E. *See* EL SINNARY, K. A.

BIRD, A. F. *See* PRESTON, CHRISTINE M.

BLACK, S. J. *See* KNOWLES, G.

BOUWMAN-SMITS, L. *See* SCHOTS, A.

BRAILSFORD, T. J. and MAPES, C. J. Comparisons of *Heligmosomoides polygyrus* primary infection in protein-deficient and well-nourished mice, 311

BRETERNITZ, R. *See* RUPPEL, A.

BUNDY, D. A. P. and GOLDEN, M. H. N. The impact of host nutrition on gastrointestinal helminth populations, 623

CARTER, E. H., SUHRBIER, A., BECKERS, P. J. A. and SINDEN, R. E. The *in vitro* cultivation of *P. falciparum* ookinetes, and their enrichment on Nycodenz® density gradients, 25

COLIN, JUDITH A. *See* WILLIAMS, H. H.

CRIADO FORNELIO, A., RODRIGUEZ CAABEIRO, F. and JIMINEZ GONZALEZ, A. The mode of action of some benzimidazole drugs on *Trichinella spiralis*, 61

CROMPTON, D. W. T. *See* HOLLAND, CELIA V.

CROMPTON, D. W. T. *See* TAREN, D. L.

DESAI, J. *See* MOLOO, S. K.

DOENHOFF, M. J. *See* MURARE, H. M.

EGBERTS, E. *See* SCHOTS, A.

EL SINNARY, K. A., BIANCO, A. E. and WILLIAMS, J. F. Implantation of adult *Onchocerca gutturosa* into laboratory rodents, 155

ELKINS, D. B. *See* HASWELL-ELKINS, M. R.

ERASMUS, D. A. *See* SHAW, M. K.

GARDNER, R. A. and MOLYNEUX, D. H. *Babesia vesperuginis*: natural and experimental infections in British bats (Microchiroptera), 461

GIBSON, D. I. Questions in digenean systematics and evolution, 429
GOLDEN, M. H. N. *See* BUNDY, D. A. P.
GOMMERS, F. J. *See* SCHOTS, A.
GRENFELL, B. T., SMITH, G. and ANDERSON, R. M. A mathematical model of the population biology of *Ostertagia ostertagi* in calves and yearlings, 389
GRENFELL, B. T., SMITH, G. and ANDERSON, R. M. The regulation of *Ostertagia ostertagi* populations in calves: the effect of past and current experience of infection on proportional establishment and parasite survival, 363
GRENFELL, B. T. *See* SMITH, G.

HACKETT, F. *See* KELLY, C.
HAGAN, P. *See* KELLY, C.
HALVORSEN, O. *See* WILLIAMS, H. H.
HANNAH, J. *See* BEHNKE, J. M.
HARNETT, W. *See* ALMOND, N. M.
HASWELL-ELKINS, M. R., ELKINS, D. B. and ANDERSON, R. M. Evidence for predisposition in humans to infection with *Ascaris*, hookworm, *Enterobius* and *Trichuris* in a South Indian fishing community, 323
HASWELL-ELKINS, M. R., ELKINS, D. B., MANJULA, K., MICHAEL, E. and ANDERSON, R. M. The distribution and abundance of *Enterobius vermicularis* in a South Indian fishing community, 339
HILL, J. The activity of drug combinations against established infections of rodent malaria, 17
HODGSON, J. *See* KELLY, C.
HOLLAND, CELIA V., CROMPTON, D. W. T., TAREN, D. L., NESHEIM, M. C., SANJUR, DIVA, BARBEAU, IRMA and TUCKER, KATHERINE. *Ascaris lumbricoides* infection in pre-school children from Chiriqui Province, Panama, 615
HOLLAND, CELIA V. *See* TAREN, D. L.
HOWARD, R. J. *See* ROCK, E. P.
HURD, HILARY and WEAVER, R. J. Evidence against the hypothesis that metacestodes of *Hymenolepis diminuta* inhibit corpora allata functioning in the intermediate host, *Tenebrio molitor*, 93

JEFFS, S. A. and ARME, C. *Echinococcus granulosus*: specificity of amino acid transport systems in protoscoleces, 71
JENKINS, D. C., TOPLEY, P. and RAPSON, E. B. *Fasciola hepatica in vitro*: increased susceptibility to fasciolicides in a defined serum-free medium, 165
JIMINEZ GONZALEZ, A. *See* CRIADO FORNELIO, A.
JONES, A. *See* ALLSOPP, B. A.

KELLY, C., HAGAN, P., KNIGHT, M., HODGSON, J., SIMPSON, A. J. G., HACKETT, F., WILKINS, H. A. and SMITHERS, S. R. Surface and species-specific antigens of *Schistosoma haematobium*, 253
KENNEDY, C. R. and MORIARTY, C. Co-existence of congeneric species of Acanthocephala: *Acanthocephalus lucii* and *A. anguillae* in eels *Anguilla anguilla* in Ireland, 301
KENNEDY, C. R. *See* KINO, H.
KIMBALL, M. D. *See* WILLIAMS, J. C.
KINO, H. and KENNEDY, C. R. Differences in biological characteristics of two strains of the cestode *Hymenolepis diminuta*, 97
KNIGHT, M. *See* KELLY, C.
KNOWLES, G., BLACK, S. J. and WHITELAW, D. D. Peptidase in the plasma of mice infected with *Trypanosoma brucei brucei*, 291
KNOX, J. W. *See* WILLIAMS, J. C.
KUKLA, B. A., MAJIWA, P. A. O., YOUNG, J. R., MOLOO, S. K. and OLE-MOIYOI, O. Use of species-specific DNA probes for detection and identification of trypanosome infection in tsetse flies, 1
KUTUZA, S. B. *See* MOLOO, S. K.

LEIRO, J. *See* UBEIRA, F. M.
LI, J. L. and LI, Y. J. Inhibitory, opsonic and cytotoxic activities of monoclonal antibodies against asexual erythrocytic stages of *Plasmodium falciparum*, 229
LI, Y. J. *See* LI, J. L.

LIU, M. K. and PEARSON, T. W. Detection of circulating trypanosomal antigens by double antibody ELISA using antibodies to procyclic trypanosomes, 277
LUCAS, S. B. *See* MURARE, H. M.
LUTZ, F. *See* RUPPEL, A.

MACPHERSON, C. N. L. *See* ALLSOPP, B. A.
MAJIWA, P. A. O. and WEBSTER, P. A repetitive deoxyribonucleic acid sequence distinguishes *Trypanosoma simiae* from *T. congolense*, 543
MAJIWA, P. A. O. *See* KUKLA, B. A.
MALOY, W. L. *See* ROCK, E. P.
MANJULA, K. *See* HASWELL-ELKINS, M. R.
MAPES, C. J. *See* BRAILSFORD, T. J.
MARBURY, K. S. *See* WILLIAMS, J. C.
MARSH, K. *See* ROCK, E. P.
MCLAREN, DIANE J. *See* ROGERS, M. V.
MÉNARD, L. and SCOTT, M. E. Hatching and survival characteristics of *Cyathocotyle bushiensis* Khan 1962 (Digenea) eggs and miracidia, 355
MICHAEL, E. *See* HASWELL-ELKINS, M. R.
MINCHELLA, D. J. *See* RICHARDS, C. S.
MOLOO, S. K., KUTUZA, S. B. and DESAI, J. Comparative study on the infection rates of different *Glossina* species for East and West African *Trypanosoma vivax* stocks, 537
MOLOO, S. K. *See* KUKLA, B. A.
MOLYNEUX, D. H. *See* GARDNER, R. A.
MORIARTY, C. *See* KENNEDY, C. R.
MURARE, H. M. and DOENHOFF, M. J. Parasitological observations of *Schistosoma bovis* in normal and T-cell deprived mice, 507
MURARE, H. M., AGNEW, ALISON, BALTZ, MARILYN, LUCAS, S. B. and DOENHOFF, M. J. The response of *Schistosoma bovis* in normal and T-cell deprived mice, 517

NESHEIM, M. C. *See* HOLLAND, CELIA V.
NESHEIM, M. C. *See* TAREN, D. L.
NEWTON, S. D. *See* ALLSOPP, B. A.

OLE-MOIYOI, O. *See* KUKLA, B. A.

PARKHOUSE, R. M. E. *See* ALMOND, N. M.
PEARSON, T. W. *See* LIU, M. K.
PESSON, B. *See* VOLTZ, A.
PRESTON, CHRISTINE M. and BIRD, A. F. Physiological and morphological changes associated with recovery from anabiosis in the dauer larva of the nematode *Anguina agrostis*, 125
PRITCHARD, D. I. *See* BEHNKE, J. M.
PROBERT, A. J. and AWAD, A. H. H. Scanning electron microscopy of the tegument of adult *S. margrebowiei* Le Roux, 1933 with particular reference to the structure of the tubercles, 491

RABINOVITCH, M. *See* ALFIERI, SILVIA C.
RAPSON, E. B. *See* JENKINS, D. C.
RATH, E. A. and WALKEY, M. Fatty acid and cholesterol synthesis in mice infected with the tapeworm *Hymenolepis microstoma*, 79
RICHARD, J. *See* VOLTZ, A.
RICHARDS, C. S. and MINCHELLA, D. J. Transient non-susceptibility to *Schistosoma mansoni* associated with atrial amoebocytic accumulations in the snail host *Biomphalaria glabrata*, 499
RIVERA, GLORIA *See* TAREN, D. L.
ROCK, E. P., MARSH, K., SAUL, A. J., WELLEMS, T. E., TAYLOR, DIANE W., MALOY, W. L. and HOWARD, R. J. Comparative analysis of the *Plasmodium falciparum* histidine-rich proteins HRP-I, HRP-II and HRP-III in malaria parasites of diverse origin, 209
RODRIGUEZ CAABEIRO, F. *See* CRIADO FORNELIO, A.
ROGER, M. and VIENS, P. *Trypanosoma musculi*: influence of uric acid on *in vitro* formation of metacyclic trypomastigotes, 531

ROGERS, M. V. and MCLAREN, DIANE J. Analysis and comparison of immune reactivity in guinea-pigs immunized with equivalent numbers of normal or radiation-attenuated cercariae of *Schistosoma mansoni*, 43
ROSE, M. E. *See* WISHER, M. H.
RUPPEL, A., BRETERNITZ, R. and LUTZ, F. *Schistosoma mansoni*: stage-dependent membrane vesiculation and parasite killing induced by a cytotoxin from *Pseudomonas aeruginosa*, 241

SANJUR, DIVA *See* HOLLAND, CELIA V.
SANJUR, DIVA *See* TAREN, D. L.
SANMARTIN-DURAN, M. L. *See* UBEIRA, F. M.
SANTAMARINA, M. T. *See* UBEIRA, F. M.
SAUL, A. J. *See* ROCK, E. P.
SCHOTS, A., BAKKER, J., GOMMERS, F. J., BOUWMAN-SMITS, L. and EGBERTS, E. Serological differentiation of the potato-cyst nematodes *Globodera pallida* and *G. rostochiensis*: partial purification of species-specific proteins, 421
SCOTT, MARILYN E. Regulation of mouse colony abundance by *Heligmosomoides polygyrus*, 111
SCOTT, M. E. *See* MÉNARD, L.
SHAW, M. K. and ERASMUS, D. A. *Biomphalaria glabrata*: changes in calcium reserves following parasitism by larval *Schistosoma mansoni*, 267
SIMPSON, A. J. G. *See* KELLY, C.
SINDEN, R. E. *See* CARTER, E. H.
SMITH, G. The relationship between the density of *Fasciola hepatica* miracidia and the net rate of miracidial infections in *Lymnaea truncatula*, 159
SMITH, G., GRENFELL, B. T. and ANDERSON, R. M. The regulation of *Ostertagia ostertagi* populations in calves: density-dependent control of fecundity, 373
SMITH, G., GRENFELL, B. T., ANDERSON, R. M. and BEDDINGTON, J. Population biology of *Ostertagia ostertagi* and anthelmintic strategies against ostertagiasis in calves, 407
SMITH, G. *See* GRENFELL, B. T.
SMITHERS, S. R. *See* KELLY, C.
SNIDER, T. G. *See* WILLIAMS, J. C.
SUHRBIER, A. *See* CARTER, E. H.

TAREN, D. L., NESHEIM, M. C., CROMPTON, D. W. T., HOLLAND, CELIA V., BARBEAU, IRMA, RIVERA, GLORIA, SANJUR, DIVA, TIFFANY, JEAN and TUCKER, KATHERINE. Contributions of ascariasis to poor nutritional status in children from Chiriqui Province, Republic of Panama, 603
TAREN, D. L. *See* HOLLAND, CELIA V.
TAYLOR, DIANE W. *See* ROCK, E. P.
TIFFANY, JEAN *See* TAREN, D. L.
TOPLEY, P. *See* JENKINS, D. C.
TUCKER, KATHERINE. *See* HOLLAND, CELIA V.
TUCKER, KATHERINE. *See* TAREN, D. L.

UBEIRA, F. M., LEIRO, J., SANTAMARINA, M. T. and SANMARTIN-DURAN, M. L. Modulation of the anti-phosphorylcholine immune response during *Trichinella spiralis* infections in mice, 583

VIENS, P. *See* ROGER, M.
VOLTZ, A., RICHARD, J. and PESSON, B. A genetic comparison between natural and laboratory strains of *Echinostoma* (Trematoda) by isoenzymatic analysis, 471

WALKEY, M. *See* RATH, E. A.
WEAVER, R. J. *See* HURD, HILARY
WEBSTER, P. *See* MAJIWA, P. A. O.
WELLEMS, T. E. *See* ROCK, E. P.
WHITELAW, D. D. *See* KNOWLES, G.
WILKINS, H. A. *See* KELLY, C.
WILLIAMS, DIANE J. *See* BEHNKE, J. M.
WILLIAMS, H. H., COLIN, JUDITH A. and HALVORSEN, O. Biology of gyrocotylideans with emphasis on reproduction, population ecology and phylogeny, 173

WILLIAMS, J. C., KNOX, J. W., MARBURY, K. S., KIMBALL, M. D., BAUMANN, B. A. and SNIDER, T. G. The epidemiology of *Ostertagia ostertagi* and other gastrointestinal nematodes of cattle in Louisiana, 135
WILLIAMS, J. F. *See* EL SINNARY, K. A.
WISHER, M. H. and ROSE, M. E. *Eimeria tenella* sporozoites: the method of excystation affects the surface membrane proteins, 479
WORMS, M. J. *See* ALMOND, N. M.

YOUNG, J. R. *See* KUKLA, B. A.

ZILBERFARB, V. *See* ALFIERI, SILVIA C.

Index of Subjects

Abundance, of *Enterobius vermicularis* in a South Indian fishing community, 339
Acanthocephala, co-existence of congeneric species of, 301
Acanthocephalus anguillae, co-existence of with *A. lucii* in eels, 301
Acanthocephalus lucii, co-existence of with *A. anguillae* in eels, 301
Amoebocytic accumulations, associated with transient non-susceptibility of *Biomphalaria glabrata* to *Schistosoma mansoni*, 499
Anabiosis, recovery from in the dauer larva of *Anguina agrostis*, 125
Anguina agrostis, recovery from anabiosis in the dauer larva of, 125
Anthelmintic strategies, for the control of *Ostertagia ostertagi*, 407
Antibody responses, to *Dipetalonema viteae* in different strains of mice, 559
Antigen detection, by double antibody ELISA, in human trypanosomiasis, 277
Antigens, surface and species-specific, of *Schistosoma haematobium*, 253
Anti-malarial activity, of various drug combinations, 17
Amino acid transport, specificity of in the protoscoleces of *Echinococcus granulosus*, 71
Ascariasis, contributions of to poor nutritional status in children, 603
Ascaris lumbricoides, infection of pre-school children with in Panama, 615

Babesia vesperuginis, infections of in British bats, 461
Bats, natural and experimental infection of with *Babesia vesperuginis*, 461
Benzimidazole drugs, mode of action of on *Trichinella spiralis*, 61
Biological characteristics, differences of in two strains of *Hymenolepis diminuta*, 97
Biomphalaria glabrata, calcium reserves in following parasitism, 267
transient non-susceptibility of to *Schistosoma mansoni*, 499

Calcium reserves, in *Biomphalaria glabrata*, effect of *Schistosoma mansoni* on, 267
Cercariae, immune response of infected and vaccinated guinea-pigs to, 43
Cholesterol synthesis, effect of *Hymenolepis microstoma* on in infected mice, 79
Co-existence, of congeneric species of Acanthocephala, 301
Corpora allata, does *Hymenolepis diminuta* inhibit the function of in *Tenebrio molitor*?, 93
Cultivation, of *Plasmodium falciparum* ookinetes *in vitro*, 25
Cyathocotyle bushiensis, hatching dynamics of the eggs of, 355
survival characteristics of the miracidia of, 355
Cytotoxicity, of monoclonal antibodies against *Plasmodium falciparum*, 229
Cytotoxin, produced by *Pseudomonas aeruginosa* kills *Schistosoma mansoni*, 241

Detection, of trypanosome infection in tsetse by DNA probes, 1
Digenean systematics and evolution, 429
Dipetalonema viteae, antibody responses to in different strains of mice, 559
Distribution, of *Enterobius vermicularis* in a South Indian fishing community, 339
DNA probes, for detection of trypanosomes in tsetse, 1
DNA sequence, use of to distinguish *Trypanosoma simiae* from *T. congolense*, 543
Drug combinations, activity of against rodent malaria infections, 17
Dynamics of infection, effect of *Fasciola hepatica* miracidial density on in *Lymnaea truncatula*, 159

Echinococcus granulosus, amino acid transport systems in the protoscoleces of, 71
Echinostoma strains, genetic comparison of the isozymes of, 471
Eimeria tenella sporozoites, surface membrane proteins of, 479
ELISA, use of in the detection of circulating trypanosomal antigens, 277
Enterobius vermicularis, epidemiology of, 339
Enzyme activity, in the plasma of *Trypanosoma brucei brucei* infected mice, 291
Epidemiology, of ascariasis in Panama, 615
of *Enterobius vermicularis*, 339
of intestinal nematode infections in humans, 323
of *Ostertagia ostertagi* in cattle in Louisiana, 135

Establishment, of *Ostertagia ostertagi* in calves, 363
Evolution, of the Digenea, 429
Excystation, method of affects surface membrane proteins, 479

Fasciola hepatica, in vitro screens of fasciolicides in, 165
Fasciola hepatica miracidia, effect of the density of on the rate of infection of *Lymnaea truncatula* by, 159
Fasciolicides, *in vitro* screens for in serum-free medium, 165
Fatty acid synthesis, effect of *Hymenolepis microstoma* on in infected mice, 79
Fecundity, density-dependent control of, in *Ostertagia ostertagi*, 373
differences of in two strains of *Hymenolepis diminuta*, 97
Food transit time, relationship of to ascariasis in children, 603

Gastrointestinal helminth populations, the impact of host nutrition on, 623
Gastrointestinal nematodes, epidemiology of in cattle in Louisiana, 135
Genetics, of isozymes of *Echinostoma* strains, 471
Globodera spp., partial purification of species-specific proteins from, 421
Glossina spp., infection rates of *Trypanosoma vivax* in, 537
Guinea-pigs, immune reactivity of against *Schistosoma mansoni* cercariae, 43
Gyrocotylideans, biology of, 173

Hatching dynamics, of the eggs of *Cyathocotyle bushiensis*, 355
Heligmosomoides polygyrus, chronic primary infections of in mice, 569
comparison of infections with in protein deficient and well-nourished mice, 311
regulation of mouse population by, 111
Helminth infection, effect of host nutrition on, 623
predisposition of humans to, 323
Histidine-rich proteins, comparative analysis of in *Plasmodium falciparum*, 209
Host hormones, do *Hymenolepis diminuta* metacestodes interfere with the production of?, 93
Host nutrition, the impact of on gastrointestinal helminth populations, 623
Host–parasite relationship, of *Schistosoma bovis* in normal and T-cell deprived mice, 507
Hymenolepis diminuta, evidence against inhibition of host hormones by, 93
strain variation in, 97
Hymenolepis microstoma, effect of on lipid metabolism in infected mice, 79

Identification, of *Trypanosoma simiae* by DNA sequence, 543
Immune reactivity, of guinea-pigs to *Schistosoma mansoni*, 43
Immunological relationships, during primary infection of mice with *Heligmosomoides polygyrus*, 569
Immunomodulation, by *Trichinella spiralis*, 583
Implantation, of adult *Onchocerca gutturosa* into laboratory rodents, 155
Infection, chronic primary, of *Heligmosomoides polygyrus* in mice, 569
Infection, of pre-school children with *Ascaris lumbricoides* in Panama, 615
Infection rates, of *Trypanosoma vivax* in *Glossina* spp., 537
Infectivity, differences of in two strains of *Hymenolepis diminuta*, 97
Inhibition, of the growth of *Plasmodium falciparum* by monoclonal antibodies, 229
Isoelectric focusing, use of for characterization of *Taenia* spp., 593
Isoenzyme analysis, of natural and laboratory strains of *Echinostoma*, 471
of *Taenia* spp., 593

Killing, of *Leishmania mexicana amazonensis* by leucine methyl ester, 31

Lactose digestion, association with ascariasis, 603
Leishmania mexicana amazonensis, killing of by leucine methyl ester, 31
Leucine methyl ester, killing of *Leishmania mexicana amazonensis* by, 31
Life-cycle, of *Schistosoma bovis*, laboratory establishment of, 507
Lipid biosynthesis, effect of *Hymenolepis microstoma* infection on, in mice, 79
Lymnaea truncatula, dynamics of the infection of by *Fasciola hepatica* miracidia, 159

Maintenance, of adult *Onchocerca gutturosa* in laboratory rodents, 155
Malaria parasites, comparative analysis of histidine-rich proteins in, 209
Mathematical model, of the parasitic phase of the *Ostertagia ostertagi* life-cycle, 363
of the population biology of *Ostertagia ostertagi*, 389
to describe regulation of fecundity in *Ostertagia ostertagi*, 373
Membrane vesiculation, induced in *Schistosoma mansoni* by a *Pseudomonas aeruginosa* cytotoxin, 241
Metacyclic trypomastigotes, effect of uric acid on the formation of in *Trypanosoma musculi*, 531
Microfilariae, of *Dipetalonema viteae*, murine antibody responses to, 559
Mode of action, of benzimidazole drugs on *Trichinella spiralis*, 61
Monoclonal antibodies, effects of against *Plasmodium falciparum*, 229
Morphological changes, associated with recovery from anabiosis in *Anguina agrostis*, 125
Mouse colony abundance, regulation of by *Heligmosomoides polygyrus*, 111
Mouse responses, to *Schistosoma bovis*, 507, 517
Murine antibody responses, to *Dipetalonema viteae*, 559
Myotis mystacinus, infection with *Babesia vesperuginis* in, 461

Non-susceptibility, transient, of *Biomphalaria glabrata* to *Schistosoma mansoni*, 499
Nutrition, and ascariasis in children, 603
the impact of on gastrointestinal helminth populations, 623
Nutritional status, effect of on *Heligmosomoides polygyrus* primary infection, 311
Nycodenz® density gradients, use of in enrichment of *Plasmodium falciparum* ookinetes, 25

Onchocerca gutturosa, implantation of into laboratory rodents, 155
Ookinetes, of *Plasmodium falciparum*, *in vitro* cultivation of, 25
Ostertagia ostertagi, a mathematical model of the population biology of, 389
control of by anthelmintic strategies, 407
epidemiology of in cattle in Louisiana, 135
establishment and survival of, 363
regulation of fecundity in, 373

Peptidase activity, in the plasma of *Trypanosoma brucei brucei*-infected mice, 291
Phosphorylcholine, modulation of the immune response to in mice by *Trichinella spiralis*, 583
Phylogeny, of gyrocotylideans, 173
Pipistrellus pipistrellus, infection with *Babesia vesperuginis* in, 461
Physiological changes, associated with recovery from anabiosis in *Anguina agrostis*, 125
Plasmodium falciparum, analysis of the histidine-rich proteins of, 209
effects of monoclonal antibodies against, 229
ookinete cultures of, 25
Plasmodium spp., activity of drug combinations against, 17
Population, regulation of in mice by *Heligmosomoides polygyrus*, 111
Population biology, mathematical model of for *Ostertagia ostertagi*, 389
Population ecology, of gyrocotylideans, 173
Potato-cyst nematodes, partial purification of species-specific proteins from, 421
Predisposition, of humans to helminth infections, 323
Prophylactic strategies, for the control of ostertagiasis, 407
Protection, of *Leishmania* from killing by leucine methyl ester, 31
Protein deficiency, effect of on *Heligmosomoides polygyrus* primary infection, 311
Protoscoleces, of *Echinococcus granulosus*, amino acid transport in, 71
Pseudomonas aeruginosa, a cytotoxin produced by kills *Schistosoma mansoni*, 241

Reproduction, in gyrocotylideans, 173

Schistosoma bovis, in normal and T-cell deprived mice, 507, 517
Schistosoma haematobium, surface and species-specific antigens of, 253
Schistosoma mansoni, effects of on calcium reserves in *Biomphalaria glabrata*, 267
killing of by *Pseudomonas aeruginosa* cytotoxin, 241
responses of infected and vaccinated guinea-pigs to, 43
transient non-susceptibility to in *Biomphalaria glabrata*, 499

Schistosoma margrebowiei, tegumental ultrastructure of, 491
Seasonal prevalence, of gastrointestinal nematodes in cattle, 135
Serum-free medium, effect of on the susceptibility of *Fasciola hepatica* to fasciolicides *in vitro*, 165
Species-specific antigens, of *Schistosoma haematobium*, 253
Species-specific proteins, from potato-cyst nematodes, 421
Sporozoites, method of excystation of affects surface membrane proteins, 479
Succinate dehydrogenase–fumarate reductase complex, role of in the activity of benzimidazoles, 61
Surface antigens, of *Schistosoma haematobium*, 253
Surface membrane proteins, of *Eimeria tenella* sporozoites, 479
Survival, of *Ostertagia ostertagi* in calves, 363
Survival characteristics, of the miracidia of *Cyathocotyle bushiensis*, 355
Systematics, of the Digenea, 429

Taenia spp., characterization of by isoenzyme analysis, 593
Tenebrio molitor, effect of *Hymenolepis diminuta* on the endocrine system of, 93
Therapeutic strategies, for the control of ostertagiasis, 407
T-cell deprived mice, response of to *Schistosoma bovis*, 507, 517
Tegument, ultrastructure of in *Schistosoma margrebowiei*, 491
Trichinella spiralis, modulation of the anti-phosphorylcholine response by, in mice, 583
  the mode of action of benzimidazole drugs on, 61
Trypanosome antigens, detection of in the circulation by ELISA, 277
Trypanosome infection, detection of by DNA probes, 1
Trypanosoma brucei brucei, peptidase from in the plasma of infected mice, 291
Trypanosoma musculi, effect of uric acid on the *in vitro* formation of the metacyclic trypomastigotes of, 531
Trypanosoma simiae, DNA sequence of distinguishes it from *T. congolense*, 543
Trypanosoma vivax, infection rates of in *Glossina* spp., 537
Tsetse flies, detection of trypanosome infection in by DNA probes, 1
Tubercles, ultrastructure of on *Schistosoma margrebowiei* tegument, 491

Ultrastructure, of the tegument of *Schistosoma margrebowiei*, 491
Uric acid, effect of on the *in vitro* formation of metacyclic trypomastigotes, 531